



**RAJIV GANDHI UNIVERSITY OF KNOWLEDGE
TECHNOLOGIES-AP**

**IIIT Srikakulam, SM PURAM, ETCHERLA (M), SRIKAKULAM DISTRICT
Andhra Pradesh- 532402**

Dated: 23.08.2019

Corrigendum-II

**CLARIFICATION & AMENDMENTS: Supply of Projectors to RGUKT- SRIKAKULAM
Campus**

**Ref. :1. RGUKT/SKLM/E-Proc/Projectors and Screens/Tender 08/2019-20, dated.
05.08.2019**

2. Corrigendum -I published in website, dated: 17.08.2019

The following modifications have been done in our E-Procurement Tender Notice issued vide reference cited above for providing projectors to IIIT Srikakulam, RGUKT-AP

S.NO	Clause no/ Amendments by IIIT- Srikakulam, RGUKT-AP (As per <u>Corrigendum-I</u>)	Item discription (As per <u>Corrigendum-I</u>)	Amendments by IIIT- Srikakulam, RGUKT-AP
1	Technical Specification	Please refer to Annexure A of this corrigendum	Please refer to Annexure B of this corrigendum

ANNEXURE- A
Projectors Specifications as per corrigendum I

Features	Requirement
Technology	WXGA
Projection type	Short Throw with DLP
Resolution	1280 x 800 /Beyond
White Brightness	3400 ANSI Lumens or Above
Color Brightness	3400 ANSI Lumens or Above
Contrast Ratio	20,000:1
Keystone correction	Vertical +/-30/ and Horizontal +/-30
Lamp Life	5000 hours on normal mode , 10000 hours on ECO mode. 15000 hours on Lamp saving mode
Sound Output	Min. 10 watts
Installation	Ceiling / Desktop
Wired LAN	RJ45 10X100
Video Input	S-Video in (Mini DIN Pin) x1, HDMIx2, Audio out (Mini Jack) x 1, Audio L/R in (RCA) x 1, USB (Type-A, Type-B mini)
Control	Wireless Remote
Cables	Provision for cable routing and Built-in HDMI Cable
Projectors Screen	Size: 7' x 9'
Connector Type	Dual HDMI
Ceiling mounting kit and	HDMI Cable – 15 meter length and Power Cable- 15
Onsite Warranty	Min 3 Years
Certification	MAF, ISO certification, 9001, 14001, BIS, OEM should have market share of minimum 10% in projector in 2 consecutive calendar year from 2015 to 2018 from any multimedia consultant with

ANNEXURE- B
Projector Specifications as per corrigendum-II

Features	Requirement
Technology	WXGA
Projection type	Short Throw with DLP
Resolution	1280 x 800 DPI Resolution /Beyond
White Brightness	3400 ANSI Lumens or Above
Contrast Ratio	20,000:1
Keystone correction	Vertical +/-30/ and Horizontal +/-30
Lamp Life	5000 hours on normal mode , 10000 hours on ECO
Sound Output	Min. 10 watts
Installation	Ceiling / Desktop
Wired LAN	RJ45 10X100
Video Input	S-Video in (Mini DIN Pin) x1,
Control	Wireless Remote
Cables	Provision for cable routing and Built-in HDMI Cable
Projectors Screen	Size: 7' x 9'
Connector Type	Dual HDMI
Ceiling mounting kit and	HDMI Cable – 15 meter length and Power Cable- 15
Onsite Warranty	Min 3 Years
Certification	MAF, ISO certification, 9001, 14001, BIS, OEM

The corrigendum notice is displayed in our site and e-procurement website

Sd/-
Administrative Officer (i/c)