



Date: 23.11.2019

Ref: RGUKT/SKLM/Proc/Physical Education Dept./Sports Materials/Lr.No.01/2019-20

NOTICE INVITING QUOTATIONS

IIIT-SRIKAKULAM, RGUKT-AP invites sealed quotations from interested parties for supply of Sports Equipments for IIIT-SRIKAKULAM Campus- III, Located at IIIT Nuzvid pre fab campus, Nuzvid, Krishna District, Pin-521202.

Last Date for Submission : 02.12.2019

Item Description : As per Annexure – A

Quotations must be addressed to: Administrative Officer,
IIIT-SRIKAKULAM,
Located at IIIT Nuzvid pre fab campus,
Nuzvid, Krishna District, Pin-521202.


Terms & Conditions:

1. The bidder should be reputed manufacturer or its authorized dealer.
2. The Bidder is required to have CST/TIN Registration Number and GST Registration.
3. The Bidder should not have been barred by any PSU/Govt. Dept. in business with them.
4. Bidders are requested to follow the given price bid format to quote the items. The rate for the item may be quoted in INR. The offers should indicate unit price (excluding GST).The validity of the quotation must be 180 days.
5. The quotations must be addressed to “Administrative Officer, IIIT-Srikakulam, RGUKT,AP. Camp Office at IIIT-Nuzvid, Krishna Dist. Pin- 521202
6. The sealed cover should be super scribed with above mentioned Ref. No. and must reach the office on or before the last date through Speed-post/Registered Post.
7. Delivery should be within specified days mentioned in Purchase Order, i.e., within One week from the date of purchase order. If the items are not delivered within the stipulated time, the supplier shall be liable to pay a penalty of 1% of the total order value for each delay of 10 days or part thereof and the amount will be deducted from the payment on account of purchase.
8. Unloading of items and delivery to the store place shall be responsibility of the firm.

9. The suppliers will undertake warranty of items from the date of supply and shall have to mention clearly the period of warranty in financial bid. The supplier further warrants that the items shall be free from defects.
10. Payment shall be made 100% after delivery of the items in good condition and receipt of satisfactory certificate from concerned department.
11. IIT-SRIKAKULAM, RGUKT, A.P reserves the right to reject any/all quotation(s) without assigning any reasons whatsoever.
12. Quotations received against our notification are considered as accepting the terms and conditions of IIT-SRIKAKULAM, RGUKT, A.P.

Sd/-
Administrative Officer (I/c)
IIT- Srikakulam- RGUKT –A.P.

The requirement details are as follows:-

Annexure –A					
S. No	Description	Specification	Qty	Unit price	Total Price
01	Athletics				
A	Discus	High Quality Competition Steel Rim Laminated Wooden Discus 2 KG Dia: 219-221mm	01		
B	Discus	High Quality Competition Steel Rim Laminated Wooden Discus 1.5 KG 180-182mm (IAAF Certified)	01		
C	Discus	High Quality Competition Steel Rim Laminated Wooden Discus 1 KG 180-182mm	01		
D	Javelin(men)	Javelin Aluminium training(nelco) Men: 800g (2600mm – 2700mm Length)	01		
E	Javelin(women)	Women : 600g (2200mm – 2300mm Length)	01		
F	Shot put	Shot Put 7.26KG 110 mm -130mm (IAAF Certified)	01		
G	Shot put	Shot Put 5.45KG 105 mm (IAAF Certified)	01		
J	Shot Put Toe Board	Wooden Toe Board 0.112m to 0.30m wide, with a chord of 1.21m ± 0.01m for an arc of the same radius as the circle and 0.10m ± 0.008m high in relation to the level of the inside of the circle adjacent to the top board.	01		
K	Stop Watches	Digital Stop Watch JS 609 series Display: LCD Power Requirements: Battery: Lithium,1.5 v.	02		
L	Weighing Machine (Digital) 	<input type="checkbox"/> Material: tempered glass <input type="checkbox"/> Maximum Weight Recommendation:400.0 pounds <input type="checkbox"/> Item Dimensions Length:11.8inches <input type="checkbox"/> Item Dimensions Width:11.8inches Item Dimensions Height:0.9inches	01		

02. Games and Sports Equipment**01. Badminton**

A	Badminton net	Material: Nylon, Depth of the badminton net 2 feet 6 inches (760 mm in depth) Length/Width of the badminton net At least 6.1 metres wide so that it extends over the entire court completely. Badminton net thickness of mesh/net 15 mm to 20 mm (should be uniform throughout) Upper Edge/Lining of the net 75 mm white tap.	02		
B	Badminton Racket	Shuttle Rackets-Practice-The frame of the racket including the handle shall not exceed 2ft-2.75 inches (680mm) in over all length and 9 inches(230mm)in over all width. The over all length of the head shall not exceed 11.375 inches (290mm). The strung surface shall not exceed 11 inches(280mm)in over all length and 8.625 inches(220mm)in over all width.	10		
C	Shuttle Yonex plastic Cock (barrel)	Shuttle PLASTIC COCK (YONEX,MAVIS-350) : The shuttle shall have 16 feathers fixed in the base. The feathers can have a variable length from 2.5inch (64mm) to 2.75inches (70mm) but in each shuttle they shall all be same length when measured from the tip to the top of the base. The tips of the feathers shall form a circle with a diameter 2.25 inch (58mm) to 2.625 inches(16mm). The feather shall be fast ened firmly with a thread or other suitable material. The base shall be 1 inch(25mm) to 1.125 inches(25mm)in diameter round on the bottom. The shuttle shall weigh from4.74 to 5.50 grams.	05		
D	Badminton fixed poles SQ. FIXED POST SET WITH PULLEY FOR NET ADJUSTMENT	Badminton Poles - The posts shall be 5 ft 1 inch (1,55m) in height from the surface of the court, they shall be sufficiently firm to remain verticaland keep the nets trained as provided and shall be placed on the double sidelines.	02 pair		
02.Ball Badminton					
A	Ball Badminton Ball	BBFI specifications Match (The ball is yellow wool, from 22 to 23 grams in weight and from 5 to5.5 cm in diameter)	10		

B	Ball Net	Badminton	All-double tournament special with gar ware rope, <ul style="list-style-type: none"> • 17 Meshes, 42ft Length, Top Cotton Tape, • The net shall be made of fine cord to make 2 cms. square mesh all along and shall be edged with a red tape flush at the top. It shall be tri-color (red tape, white and blue body). The net shall be 1meter. Wide and 13.5 meters in length. When tied, a center pole of 183 cms. and two poles of 185cms. at extremities shall be used to maintain 183 cms. height of the net at the center. 	02		
C	Ball fixed poles	Badminton	4" DIA. FIXED POST SET WITH PULLEY FOR NET ADJUSTMENT (As per BBFI specifications)	01 pair		
D	Ball wooden rackets	Badminton	Weight from 200 gms. To 250 gms. Length 63 cms to 70 cms. guttled elliptical area of the racket shall be 20 cms to 22 cms across and 24 to 27 cms length wise double tournament.	20		

03.Basket ball

A	Basket ball Cosco Premier	FIBA specifications Rubber moulded basket ball.colour Orange Weight 567- 650g Circumference : 749mm – 780mm Super - size : 6 (28.5")	02		
B	Basket ball Cosco Premier	FIBA specifications Rubber moulded basket ball.colour orange, Weight 567- 650g Circumference: 749mm – 780mm Premier- size : 7(29.5") .	02		

04.Foot Ball

A	Football-No.5 Synthetic/Leather (Nivia vega)	FIFA Approved specifications. Synthetic/Leather The ball's weight must be in the range of 410 to 450 grams (14 to 16 oz) and inflated to a pressure of between 0.6 and 1.1 standard atmospheres (8.8 and 16.2 psi) at sea level. Circumference; 68cm -70 cm. Leather or other suitable material. size : 5	02		
---	--	--	----	--	--

05.Table Tennis

A	TT Table Stag club	<ul style="list-style-type: none"> •Top Thickness: 25 mm laminated •Frame: 25 x 50 mm •Wheel Size: 100 mm •Number of Wheels: 4 with lock & 4 without lock •Size: 2740 x 1525 x 760 mm •Net Weight: 117 kg •Storage Size: 165 x 160 x 67 cm 	01		
B	Table Tennis Net-Nylon	Table Tennis Net nylon-The net assemble shall consist of the net, its suspension and the supporting post including the clamp attaching them to the table. The top of the net along its own length, shall be 15.25 cms above the playing surface. The bottom of the net along its whole length shall be as a close as possible to the playing surface and ends of the net shall be as a close as possible to the supporting post.	01		

C	Table Tennis Bat Stag 5 star	At least 85% blade by natural wood, reinforced material not thicker than 7.5 % of the total thickness or 0.35mm. Pimples: Distributed over its surface at a density of not less than 10 per sq cm and not more than 50per sq cm. Tournament T.T Bat	06		
D	Table Tennis Ball 1 star 40+ Practice	Table Tennis Ball - Practice-The ball shall be spherical, with a diameter of 40mm and ball shall weigh 2.7grms. The ball shall be made of celluloid of similar plastic material and shall be orange only.	18		
06.Volley ball					
A	Volleyball	Synthetic hand-sewn with official specifications Circum; 65-67 cm, Wt :260-280g,	08		
B	Volley Ball fixed Post	3" DIA. FIXED POST SET WITH ADJUSTABLE HEIGHT	01 pair		
C	Cosco Volleyball nylon net With pvc coated steel rope	Width:1m, Length; 9.50m, Made of 10 cm Square Mesh. Horizontal band (5cm width) Powerplay 11mts, Premium cotton (b), 4 sides pvc tape, pvc coated steel rope, 2 side bands. Volley ball net wire thick quality : Length 15 mtrs Thickness 1 mm	03 pairs		
D	Volleyball Antenna fiber	Volleyball Antenna 1.8m, Flexible rod, 10mm diameter, Fiberglass or similar Material	02		

07.Throw Ball

A	Throw ball	Spherical and Lemon yellow in color, Synthetic leather, Circumference : 68 - 70cm , Weight: 400 to450g Pressure:0.6 to 1.1atmosphere at sea level. Approved by ATF/ TFI. Deuce series.	06		
B	Throw Ball Net Nylon	Throw Ball Net-Placed vertically over the center line there is net whose Top is set at the height of 2.43 mtrs. Its height is measured from the Center of the Playing Court. The net height (over the 2 side lines) must be exactly the same and must not exceed the official height by more than 2cms. Then 1 mtr vide and 10 mts long made of 10cm square black mesh. At it stop there is horizontal band 5cms vide. Made of 2 fold vide canvas sewn along its full length.-Branded item/approved make.	02		
C	Throw ball (fixed) set	4 Dia As per TFI specifications	01 pair		
08	Tennikoit rings	7” Dia sponge filled Rings Assorted colours	Set (12) Pcs		

09.KHO-KHO

A	Kho-kho wooden poles	Kho - kho wooden poles- Circumference should be from 30 to 40 cms, The two strong wooden poles, smooth al lover,120 to 125cms above and perpendicular to the ground, fixed firmly in the free zone at tangent to the posts at Mandan are known as the posts. The diameter shall be uniform throughout and shall measure between 9 cms and 10 cms.	01 Pair		
---	----------------------	---	------------	--	--

10.Carroms

A	Carom Board- with coins & Striker (Practice)	Practice Carrom Board :The playing surface of the Carrom boards would-be plywood or of any other wood equally smooth and be of not less than 8mm in thickness and of a minimum of 73.50 cms and a maximum of7 4cm square with its surface completely smooth . The surface of the carom board shall be wooden frame with inside carved corners made of rose wood or any other hard wood with good resistance with minimum of height of 1.90cms and maximum of 2.54 cms from the playing surface. The Breadth of the frame shall be not less than 6.35cms and not more than 7.60cms. from the playing surface. The Breadth of the frame shall be not less than 6.35cms and not more than 7.60cms.	02		
B	Carrom Stand	Carrom Stand : The table or stand on which the Carrom Boards placed for play shall be not less than	02		

	foldable	63.00 cms and not more than 0.00 cm in height, made of square pipe.			
C	Carrom Coins	Carrom coins: The diameter of the carrom men shall not be more than 3.8cms and not less than 3.02cms it shall be not less than 0.70cms and not more than 0.90cms caroms men's thickness .The caroms men shall not be less than 5.00gms and not more than 5.50gms. Thus there shall be 9 whites and 9 blacks and 1 red caroms men and they shall be uniform	02 boxes		
D	Carrom Striker	Carrom Striker : The strikers shall be smooth and round with a diameter of not than 4.13 cms and weighing not more than 15gms.	05		
E	Boric(mix) Powder for Carroms 400 grams packets .	POWDER : The powder used shall be of high quality to keep the playing surface smooth and dry the powder shall not be wet pouches/containers filled with powder should be used to spread the powder evenly over the playing surface.- BORIC POWDER-(400gms-BOX).	05		

11. Chess					
A	Chess Board Roll on	Chess board :The size of the board is usually chosen to be appropriate for the chess pieces used and square should be between 50mm and 65mm in size bracket 2.0 to 2.5inches. The square size approximately 1.25 to 1.3 times the size of the base of the king is referred. Chess board used in the game of chess and consists of 64 square(Eight rows and eight columns) arranged in two alternating colours called black and white.	06		
B	Chess men heavy weight nylon Coins set	Coins: chess board heavy weight nylon coins set.	06 set		
12	Skipping rope(nelco)	<ul style="list-style-type: none"> •Freestyle skipping rope WOODEN HANDLE NYLON ROPE •Nylon material •Non slip, two tone contoured handle. •Adjustable Skipping Rope: Made from cable for long Lightweight. 	5		
Sub Cost					
GST					
Transportation					
Grand Total					

Authorised Signature